

A Critical Review on Voice Based Recognition System using Computationally Efficient Algorithms

Nitesh Bathma¹, Akant Kumar Raghuwanshi²

¹M. Tech. (DC) VIT Bhopal, ²Assistant Professor EC deptt., VIT Bhopal

Abstract: *Voice recognition are turning out to be increasingly valuable these days. Different intelligent voice mindful applications are accessible in the market. Voice acknowledgment frameworks are the productive choices for such gadgets where writing gets to be troublesome. In any case, they are normally implied for and executed on the conventional universally useful PCs. With development in the requirements for inserted registering and the interest for rising implanted stages, it is required that the voice recognition systems (SRS) are accessible on them as well. PDAs and other handheld gadgets are turning out to be increasingly capable and moderate also. It has gotten to be conceivable to run interactive media on these gadgets.*

Keywords: *Feature extraction, Feature Matching, Modeling of voice*

I. INTRODUCTION

The Voice is the most widely recognized and essential method of correspondence among people. It is the most normal and productive type of trading data among people. Human voice passes on significantly more data, for example, sexual orientation, feeling and personality of the speaker. Voice Recognition can be characterized as the way toward changing over voice flag to a succession of words by means an Algorithm.

The goal of voice acknowledgment is to figure out which speaker is available taking into account the individual's portrayal [1]. Several methods have been proposed for repaying the confound happened between the testing and instructional courses. The correspondence among human PC association is called human PC interface.

Since 1960s PC researchers have been looking into ways and intends to make PCs ready to record, decipher and comprehend human voice. In softwareengineering, voice recognition (SR) is the

interpretation of talked words into content. It is otherwise called "automatic voice recognition", "ASR", "PC voice acknowledgment", "voice to content", or just "STT".

Speaker acknowledgment is the ID of the individual who is talking by qualities of their voices (voice biometrics),

likewise called voice acknowledgment.

II. CLASSIFICATION OF VOICE

Various parameters characterize the capacity of a voice recognition system [2].

Isolated word: The Isolated word have test windows.it acknowledges single word or single expressions at a time.Isolated articulation may be a superior name of this work [3].

Connected word: The Connected word framework are like confined words yet permit isolate articulation to be "run together least interruption between them.

Continuous Voice :It permits client to talk normally, while the PC will analyze the content.there are exceptional strategies used to decide expression limits and different troubles happened in it.

Spontaneous voice:A System with unconstrained voice capacity ought to have the capacity to handle an assortment of normal voice highlight, for example, words being run together.

III. VOICE RECOGNITION TECHNIQUES

The objective of voice acknowledgment is to examine, remove, portray and perceive data about the speaker personality. Assortment of the strategies are utilized for deciding the voice qualities.

Voice examination method

The voice information contain distinctive sort of data that demonstrates the speaker character. This incorporates speaker particular data because of vocal tract, excitation source and conduct include. The voice investigation arrange manages organize with reasonable casing size for dividing voice motion for further examination and extricating [4].These are of three sorts.

i) Segmentation examination

In this work, voice is broke down utilizing the casing size and move in the scope of 10-30 ms to concentrate speaker data. This strategy is utilized to concentrate vocal tract data of speaker

acknowledgment.

ii) Sub segmental examination

Voice broke down utilizing the edge size and move in range 3-5 ms is known as Sub segmental investigation. This method is utilized to for the most part investigate and concentrate the normal for the excitation state. [5].

iii) Supra segmental examination

In this work, voice is additionally investigated utilizing the casing size. This strategy is fundamentally used to examine and trademark the conduct character of the speaker.

IV. MODELING TECHNIQUE

The point of demonstrating system is to utilize the particular element of the speaker for making speaker models. The speaker demonstrating strategy is fundamentally named speaker acknowledgment and speaker ID. The speaker recognizable proof system characterizes who is talking on premise of individual data acquired from voice flag. The speaker acknowledgment is further isolated into two sections

i.e speaker ward and speaker autonomous. In the speaker free method of the voice acknowledgment the PC overlook the speaker particular attributes of the voice flag and concentrate the valuable message. Then again in the event of speaker acknowledgment machine ought to concentrate speaker attributes in the acoustic flag [7]. Then comparison of voice flag from an obscure speaker to a database of known speaker has been finished. Speaker acknowledgment can likewise be separated into two strategies, content ward and content autonomous techniques. In content ward technique the speaker speaks catchphrases or sentences having the same content for both preparing and testing trials though message free does not depend on a particular writings being talked [8]. Taking after are the techniques utilized as a part of voice acknowledgment process are as per the following:

i). Pattern Recognition approach

A voice design representation can be as a voice format or a factual model (e.g., a HIDDEN MARKOV MODEL or HMM) and can be

connected to a sound (little than a word), a word, or an expression. An example acknowledgment has been created more than two decades and got much consideration and connected generally in numerous functional issue .It includes two fundamental strides specifically design preparing and design correlation. The crucial element of this approach is that it utilizes a very much characterized scientific structure and after that makes voice design representations. The example coordinating methodology

has turned into the dominating technique for voice acknowledgment in the most recent six decades ([9] pg.87.

ii). The acoustic-phonetic approach

This strategy has been concentrated on and utilized for more than

40 years. This approach is endless supply of acoustic phonetics and proposes [10]. The work done before to voice acknowledgment depended on discovering voice sounds and giving suitable names to these sounds. This is the premise of the acoustic phonetic approach which proposes that there exist limited, particular phonetic units in talked dialect and these units are extensively portrayed by an arrangement of acoustics properties that are changed in the voice motion over time. There are three strategies that have been connected to the dialect distinguishing proof

i.e Problem telephone acknowledgment, Gaussian blend demonstrating, and bolster vector machine order.

iii). Learning based methodologies

To conquer the burden of the HMMs machine learning techniques which was presented in neural systems and hereditary calculation programming

learning based methodologies has been taken. In learning based methodologies ,they can be adapted naturally through copies or transformative process.

iv) Knowledge based methodologies

The direction ought to be taken from a specialist learning about varieties in voice is hand coded into a system. This approach gives the upside of express displaying however this circumstance is hard to acquire and can't utilized effectively. Learning based approach utilizes the data

with respect to, phonetic and spectrogram. The test voice is considered by all codebooks and ASR picks the word whose codebook yields the most reduced separation measure [11]. Vector Quantization (VQ)[12] is regularly connected to ASR. It is valuable for voice coders, i.e., proficient information lessening.

v) Artificial knowledge approach

The counterfeit consciousness approach arrange the acknowledgment strategy as indicated by the individual who applies it. The knowledge of a man, for example, picturing, examining and so forth are utilized for settling on a choice on the deliberate acoustic elements. The

Manmade brainpower approach [13] is a half and half of the acoustic phonetic approach and example acknowledgment approach. In its unadulterated form, knowledge building plan includes the immediate and express consolidation of specialists voice information into an acknowledgment framework. This learning is generally

gotten from cautious investigation of spectrograms and is joined utilizing principles or systems. Learning empowers the calculations to work better. This type of learning based framework builds the commitment and thus effective plans and systems has been accounted for.

II. FEATURE EXTRACTION

The extraction of the components of the parameters which speak to an acoustic flag is a critical undertaking to create a superior acknowledgment execution. The productivity of this strategy is critical for the following technique since it influences its conduct. Different are the component extraction strategies accessible with their elements.

- i) In Principal Component investigation (PCA) It utilizes Non straight element extraction strategy and gives Linear guide and is quick and eigenvector- based.
- ii) In Linear Discriminate Analysis(LDA),it relies on upon Non straight element extraction technique, it has Supervised direct guide and are quick and eigenvector-based.This strategy is superior to anything PCA for classification[6]
- iii) The Linear Predictive coding utilizes Static element extraction strategy which has 10 to 16 bring down request coefficient. It is utilized for removing highlights at the lower arrange.
- iv))In Mel-recurrence cepstrum (MFCCs).it has the property that the Power range is registered by performing Fourier Analysis.




Fig.1 Mel Frequency Cepstral Coefficients.

- i) The wavelet examination gives preferable time determination over Fourier Transform on the grounds that It replaces the settled data transfer capacity of Fourier change with one corresponding to recurrence which

permit better time determination at high frequencies than Fourier Transform.

III. FEATURE MATCHING

Different are the methods utilized as a part of highlight extraction, for example, Dynamic Time Wrapping (DTW),Vector Quantization (VQ) ,LBG and so forth .Each system has its own particular element coordinating capacity and detail

DTW: Dynamic time distorting is a calculation for measuring likeness between two worldly successions which may fluctuate in time or speed. DTW is a strategy that computes an ideal match between two given arrangements. DTW has been connected to worldly arrangements of video, sound,

and representation information — without a doubt, any information which can be transformed into a direct succession can be investigated with DTW. Applications incorporate speaker acknowledgment and online mark acknowledgment.




Fig.2.Dynamic Time Wrapping of two voice signal.

VQ: Vector quantization (VQ) is a traditional quantization technique from flag preparing. It was initially utilized for information compression[14]. It works by isolating an expansive arrangement of focuses (vectors) into gatherings having roughly the same number of focuses nearest to them. Every gathering is spoken to by its centroid point, as in k- means and some other bunching calculations. The thickness coordinating property of vector quantization is capable for extensive and high- dimensional information. Thus VQ is reasonable for lossy information pressure. It can likewise be utilized for lossy information amendment and thickness estimation.

Fig.3 Vector Quantization of two voice signals.

LBG: Linde-Buzo-Gray (LBG) Algorithm:This is an

algorithm developed in the community of vector quantization for the purpose of data compression[15]. One speaker can be discriminated from another based on the location of centroids codebook for this speaker using those training vectors for clustering a set of L training vectors into a set of M codebook vectors.




Fig.4 Linde-Buzo-Gray (LBG) Algorithm

III. CONCLUSION AND FUTURE WORKS

In this paper, different procedures are talked about voice acknowledgment framework. This paper likewise display the rundown of system with their properties of Feature extraction and Feature coordinating .Through this survey paper it is found that MFCC is broadly utilized for highlight Extraction and VQ is better over DTW.

Extensive examination, both trial and hypothetical of the issue must be improved results and for making the framework more strong.

VIII. REFERENCES

- 1) G.I. Sapijaszko and Wasfy B. Mikhael " An Overview of Recent Window Based Feature Extraction Algorithms for Speaker Recognition," IEEE 55th International Midwest Symposium on Circuits and Systems , pp. 880-883, 2015.
- 2) P. Premakanthan and W. B. Mikhael, "Speaker verification/recognition and the importance of selective feature extraction: review," in Circuits and Systems, 2014. MWSCAS 2014. Proceedings of the 44th IEEE 2014 Midwest Symposium on, 2014, pp. 57 -61 vol.1.
- 3) H. Beigi, Fundamentals of speaker recognition [electronic resource] / Homayoon Beigi. New York: Springer Science+Business Media, LLC, 2013.
- 4) P. Kumar, N. Jakhwal, and M. Chandra, "Text Dependent Speaker Identification in Noisy Environment," in Devices and Communications (ICDeCom), 2011 International Conference on, 2012, pp. 1-4.
- 5) J. Wu and J. Yu, "An improved arithmetic of MFCC in speech recognition system," in Electronics, Communications and Control (ICECC), 2011 International Conference on, 2011, pp. 719-722.
- 6) M. R. Islam, M. F. Rahman, and M. A. G. Khan, "Improvement of speech enhancement techniques for robust speaker identification in noise," in Computers and Information Technology, 2009. ICCIT '09. 12th International Conference on, 2009, pp. 255- 260.
- 7) A. Revathi and Y. Venkataramani, "Text Independent Composite Speaker Identification/Verification Using Multiple Features," in Computer Science and Information Engineering, 2009 WRI World Congress on, 2009, pp. 257-261.
- 8) R. J. Mammone, Z. Xiaoyu, and R. P. Ramachandran, "Robust speaker recognition: a feature-based approach," Signal Processing Magazine, IEEE, vol. 13, p. 58, 2008.
- 9) M. G. Sumithra and A. K. Devika, "A study on feature extraction techniques for text independent speaker identification," in Computer Communication and Informatics (ICCCI), 2012 International Conference on, 2012, pp. 1-5.
- 10) M. A. Hossan, S. Memon, and M. A. Gregory, "A novel approach for MFCC feature extraction," in Signal Processing and Communication Systems (ICSPCS), 2010 4th International Conference on, 2010, pp. 1-5.
- 11) S. Biswas, S. Ahmad, and M. K. Islam Mollat, "Speaker Identification Using Cepstral Based Features and Discrete Hidden Markov Model," in Information and Communication Technology, 2007. ICICT '07. International Conference on, 2007, pp. 303-306.
- 12) T. Schurer, "An experimental comparison of different feature extraction and classification methods for telephone speech," in Interactive Voice Technology for Telecommunications Applications, 1994., Second IEEE Workshop on, 1994, pp. 93-96.
- 13) P. Delsarte and Y. Genin, "The split Levinson algorithm," Acoustics, Speech and Signal Processing, IEEE Transactions on, vol. 34, pp. 470- 478, 1986.
- 14) R. A. Cole, M. Noel, "The CSLU speaker recognition corpus", ICSLP-1998,paper,0856
- 15) Y. Yuan, P. Zhao, and Q. Zhou, "Research of speaker recognition based on combination of LPCC and MFCC," in Intelligent Computing and Intelligent Systems (ICIS), 2010 IEEE International Conference on, 2010, pp. 765-767
- 16) A. Lawson, P. Vabishchevich, M. Huggins, P. Ardis, B. Battles, and A. Stauffer, "Survey and evaluation of acoustic features for speaker recognition," in Acoustics, Speech and Signal Processing (ICASSP), 2011 IEEE International Conference on, 2011, pp. 5444-

5447

- 18) R. Togneri and D. Pullella, "An Overview of Speaker Identification: Accuracy and Robustness Issues," *Circuits and Systems Magazine, IEEE*, vol. 11, pp. 23-61, 2011
- 19) M.A.Anusuya , S.K.Katti "Voice Recognition by Machine: A Review" *International journal of computer science and Information Security* 2013.
- 20) Sanjit K.Mitra, *Digital Signal processing using MATLAB*, MC-Graw Hill, 2000.